



Product Catalog

**2019**

## Umi Umi Inc.

### **We Care about Ocean**

Umi Umi, the emphasis of "Ocean" in Japanese, is dedicated to marine protection. Exploring the fun of underwater photography has always been the mission of Umi Umi.

### **We Stick to Japan Quality**

Umi Umi sticks to 100% original design and Japan manufacturing. With 15-year OEM experience, we attach great importance to high quality and user experience.

### **We Care about People**

Umi Umi cares about user interface and experience, offering an easy operating system to fully stimulate the fun of underwater photography.

We keep learning to know you more!





# Content

## Compact UW Housing

UU-TG5II	P.3
----------	-----

## Mirrorless UW Housing

UU-A7RIII	P.7
-----------	-----

UU-M50	P.9
--------	-----

UU-GX9	P.11
--------	------

UU-EM1M2	P.13
----------	------

UU-M5	P.15
-------	------

System Chart	P.17
--------------	------

Arm · Grip · Others	P.19
---------------------	------

Original Accessories	P.21
----------------------	------

Compact  
UW Housing

Underwater Housing for  
Olympus TG-5

# UU-TG5II

Made in Japan



## Olympus Tough TG-5 UW Housing

Based on the UU-TG5, the UU-TG5II is designed to be more easily-operated. Lightweight design for easy underwater shooting. Based on ergonomics, the thumb grip is easier to grasp. The triggered shutter design makes the shutter sensing more precise and easier to control every scene. Most functions can be easily achieved through the buttons on the housing.

Originally, the housing is equipped with a ring flash diffuser, making macro photography more interesting. You can also remove the diffuser and install the fisheye wide-angle lens UU-WIDE400PRO (available separately) for wide-angle shooting. Also, the housing is equipped with a fiber optic socket for easy access to external strobes.

Specifications	
<b>Compatible Camera</b>	Olympus Tough TG-5
<b>Material</b>	ABS resin
<b>Depth Rating</b>	60m (196ft)
<b>Weight</b>	Approx 690g
<b>Dimensions</b>	(W)165 × (H)119 × (D)99mm

Compact  
UW Housing



@ Davao, Philippines

## System Demonstration



UU-TG5II (Dull Black) [ UU-100401 ] × 1  
 Umi Umi Tray & Grip Set II (Blue) [ UU-300105 ] × 1  
 Umi Umi Arm 20cm (Blue) [ UU-302005 ] × 2  
 Umi Umi Clamp (Blue) [ UU-301005 ] × 4  
 Strobe (Other Brand) × 2

Compact  
UW Housing

# UU-TG5II Selection of Color



※ Please note: The housings in the pictures above are UU-TG5 and UU-TG5II. Slight color differences between the product and the picture may exist.  
※ If you need to order a special edition product, please contact the general dealer.

**Compact  
UW Housing**

## Optional Accessories


### UU-WIDE400PRO Fisheye Wide-angle Conversion Lens

Compatible with Umi Umi UU-TG5II/UU-TG5/UU-TG4 underwater housing  
[ UU-500501 ]

Specifications	
Angle of View	Underwater 120° (25mm lens)
Magnification	0.50x (on land/underwater)
Min. Object Distance	0mm to the front dome lens (on land/ underwater)
Mount System	AD mount/ M52 thread (interchangeable)
Depth Rating	100m (328ft)
Material	ABS/ Hard Anodized Aluminum Alloy
Dimensions	(Dia) 121 × (H) 76mm
Weight	Approx 618g (on land) / Approx 224g (underwater)
Accessories Included	M52 thread Adapter, Lens holder, Dome cover, Lens case



## CREATE A WIDER WORLD!



**UU-LCDMAX01**  
Underwater LCD Display Magnifier  
[ UU-500101 ]



**Umi Umi Macro Fish Eye Set**  
When the UU-TG5II is paired with the Umi Umi Macro Fish Eye Set, you can take a wide-angle shooting in the macro world.  
[ UU-500401 ]



Mirrorless  
UW Housing

Underwater Housing for  
Sony α7R III/ α7 III  
**UU-A7RIII**

Made in Japan



※The above picture shows the installation of SEA&SEA DX Macro Port 87 (optional)



Pearl White [ UU-130100 ]  
Dull Black [ UU-130101 ]  
Misty Grey [ UU-130107 ]

※Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Sony α7R III/α7 III  
Dual Compatible  
UW Housing

The UU-A7RIII housing is designed for dual compatibility (replacement is required when using an α7 III camera). Ergonomically designed for smoother operation, most functions can be easily achieved through the buttons on the housing.

Equipped with two fiber optic sockets, the Umi Umi original flash trigger (available separately) can be used to trigger an external flash via fiber optics. In addition, a sync cable socket, a leak sensor, a vacuum pump, and a viewfinder (VF 45 manufactured by Sea&Sea) (available separately) can also be used.

Specifications	
Compatible Camera	Sony α7R III/α7 III
Material	ABS resin
Depth Rating	60m (196ft)
Weight	Approx 1,520g
Dimensions	(W)207 × (H)185 × (D)130mm



Mirrorless  
UW Housing



Photo taken by Ricky Shu Shu (Hong Kong) @ Maldives

## Feature



**Sync Cable Connection Socket**  
The housing can be equipped with a 2-pin sync cable socket for easy operation of the external strobe.



**Vacuum Device Connector**  
With the vacuum device interface, a vacuum pump can be used to vacuum the inside part of the housing. Also, a negative pressure gauge can be used to check the tightness inside the housing before entering the water.

## System Demonstration



UU-A7RIII (Dull Black) [ UU-130101 ] × 1  
Umi Umi Tray & Grip Set II (Gun Metallic) [ UU-300105 ] × 1  
SEA&SEA NX Compact Dome Port × 1

[See page 18 for system chart](#)

**Mirrorless  
UW Housing**

Underwater Housing for  
Canon EOS M50/ Kiss M

# UU-M50

**Made in Japan**



## Canon EOS M50 UW Housing

Lightweight design makes it easily-operated in the water. Most functions can be easily achieved through the buttons on the housing. Equipped with two fiber optic sockets and triggered shutter design, the shutter sensing is more precise and easily-controlled for every picture.

※The above picture shows the installation of Umi Umi Standard Port 15-45 (optional)



Pearl White [ UU-110200 ]  
Dull Black [ UU-110201 ]  
Misty Grey [ UU-110207 ]

※Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Specifications	
<b>Compatible Camera</b>	Canon EOS M50/ Kiss M
<b>Material</b>	ABS resin
<b>Depth Rating</b>	60m (196ft)
<b>Weight</b>	Approx 1,060g
<b>Dimensions</b>	(W)183 × (H)165 × (D)111mm



Mirrorless  
UW Housing

@ Puerto Galera, Philippines



## System Demonstration

UU-M50 (Misty Grey) [UU-110207] ×1  
 UU-MP-SZ15-45 Standard Port [UU-206101] ×1  
 Umi Umi Tray & Grip Set II (Purple) [UU-300109] ×1  
 Umi Umi First Type Housing Lanyard M (Yellow)  
 [UU-31M112] ×1

See page 18 for system chart

Mirrorless  
UW Housing

Underwater Housing for  
Panasonic LUMIX GX9/ GX7 Mark III

# UU-GX9

Made in Japan



※The above picture shows the installation of Umi Umi Macro Port 30 (optional)



Pearl White [ UU-120100A ]  
Dull Black [ UU-120101A ]  
Misty Grey [ 120107A ]

※Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

## Panasonic LUMIX GX9 UW Housing

Lightweight design makes it easily operated in the water. Equipped with triggered shutter design, the shutter sensing is more precise and easily-controlled for every picture.

Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

Specifications	
<b>Compatible Camera</b>	Panasonic LUMIX GX9/ GX7 Mark III
<b>Material</b>	ABS resin
<b>Depth Rating</b>	60m (196ft)
<b>Weight</b>	Approx 1,190g
<b>Dimensions</b>	(W)188 × (H)152 × (D)109mm



Mirrorless  
UW Housing

@ Oslob, Philippines

## System Demonstration



UU-GX9 (Pearl White) [ UU-120100A ] × 1  
 UU-MP-Macro Port 30 [ UU-203101 ] × 1  
 Umi Umi Tray & Grip Set II (Blue) [ UU-300105 ] × 1  
 Umi Umi Arm 20cm (Blue) [ UU-302005 ] × 2  
 Umi Umi Clamp (Blue) [ UU-301005 ] × 4  
 Strobe (Other Brand) × 2

See page 17 for system chart

Mirrorless  
UW Housing

Underwater Housing for  
Olympus OM-D E-M1 Mark II  
**UU-EM1M2**

Made in Japan



Olympus  
OM-D E-M1 Mark II  
UW Housing

One-piece Housing design. Excellent operability and trigger shutter design make the shutter sensing more precise and easier to shoot every picture. Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

※The above picture shows the installation of Umi Umi F100 Dome Port (optional)




Pearl White [ UU-100200 ]  
Dull Black [ UU-100201 ]  
Misty Grey [ 100207 ]

※Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Specifications	
Compatible Camera	Olympus OM-D E-M1 Mark II
Material	ABS resin
Depth Rating	60m (196ft)
Weight	Approx 1,600g
Dimensions	(W)302 × (H)195 × (D)110mm

Mirrorless  
UW Housing



@ Okinawa, Japan

## Feature



### One-piece Housing Design

Originally equipped with an ergonomically designed grip-integrated housing. The handle is easy to grip and operate, including the shutter lever, zoom, and focus dial.



### Using Olympus Original Flash As Trigger

Through fiber optic, the external strobe can be triggered by Olympus original flash.

[See page 17 for system chart](#)

Mirrorless  
UW Housing


Underwater Housing for  
Canon EOS M5

**UU-M5**

Made in Japan



※The above picture shows the installation of Umi Umi Macro Port 60 (optional)



Pearl White [ UU-110100 ]  
Dull Black [ UU-110101 ]  
Misty Grey [ 110107 ]

※Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

## Canon EOS M5 UW Housing

One-piece Housing design. Excellent operability and trigger shutter design make the shutter sensing more precise and easier to shoot every picture. Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

Exclusively equipped with 360° ring arm system, external strobes and other lights can be attached to change the underwater light, easily changed as you wish.

### Specifications

**Compatible Camera**  
Canon EOS M5

**Material**  
ABS resin

**Depth Rating**  
60m (196ft)

**Weight**  
Approx 1,560g

**Dimensions**  
(W)287 × (H)176 × (D)111mm





@ Anilao, Philippines

## Feature



### 360° Ring Arm System

UU-M5 camera housing is equipped with unique 360° Ring Arm System, which can be rotated in 360° . A ball base can be mounted for connection to flashlights or other lights. it simply takes a rotation whether you would like a landscape or portrait shooting.

### One-piece Housing Design

Originally equipped with an ergonomically designed grip-integrated housing. The handle is easy to grip and operate, including the shutter lever and zoom and focus dial.

[See page 18 for system chart](#)

**System Chart**

**Panasonic  
UU-GX9**







Panasonic Lumix G Vario 7-14mm f/4 ASPH  
 + UU-ZG for Lumix G Vario 7-14mm/ F4.0 ASPH [UU-420601]  
 + UU-MP-F100 Domeport [UU-200101]







Olympus M.Zuiko Digital ED 8mm f/1.8 Fisheye PRO  
 + UU-FG for Olympus ED 8mm Fisheye [UU-420502]  
 + UU-MP-F100 Domeport [UU-200101]







Olympus M.Zuiko Digital ED 30mm f/3.5 Macro  
 + UU-FG for Olympus 30 Macro [UU-420302]  
 + UU-MP-Macro Port 30 [UU-203101]







Panasonic Leica DG Macro-Elmarit 45mm f/2.8 ASPH  
 + UU-FG for Leica DG Macro-Elmarit 45mm/ F2.8 ASPH/ MEGA O.I.S. [UU-420602]  
 + UU-MP-SZ15-45 Standard Port [UU-206101]







Olympus M.Zuiko Digital ED 60mm f/2.8 Macro  
 + UU-FG for Olympus 60 Macro [UU-420202]  
 + UU-MP-Macro Port 60 [UU-203201]

**Olympus  
UU-EM1M2**








Olympus M.Zuiko Digital ED 7-14mm f/2.8 PRO  
 + UU-ZG for Olympus ED 7-14 [UU-420501]  
 + UU-MP-F170 Domeport [UU-200201]









Olympus M.Zuiko Digital ED 12-40mm f/2.8 PRO  
 + UU-ZG for Olympus ED 12-40 [UU-420101]  
 + UU-MP-F170 Domeport [UU-200201]




Olympus M.Zuiko Digital ED 8mm f/1.8 Fisheye PRO  
 + UU-FG for Olympus ED 8mm Fisheye [UU-420502]  
 + UU-MP-F100 Domeport [UU-200101]







Olympus M.Zuiko Digital ED 14-42mm f/3.5-5.6 EZ  
 + UU-ZG for Olympus ED 14-42 [UU-420401]  
 + UU-MP-Macro Port 30 [UU-203101]







Olympus M.Zuiko Digital ED 30mm f/3.5 Macro  
 + UU-FG for Olympus 30 Macro [UU-420302]  
 + UU-MP-Macro Port 30 [UU-203101]







Olympus M.Zuiko Digital ED 60mm f/2.8 Macro  
 + UU-FG for Olympus 60 Macro [UU-420202]  
 + UU-MP-Macro Port 60 [UU-203201]


Canon  
UU-M50/UU-M5



Canon EF-M 11-22mm f/4-5.6 IS STM + UU-ZG for Canon EFM 11-22 [UU-410201] + UU-MP-F100 Domeport [UU-200101]



Canon EF-M 15-45mm f/3.5-6.3 IS STM + UU-ZG for Canon EFM 15-45 [UU-410101] + UU-MP-SZ15-45 Standard Port [UU-206101]



Canon EF-M 28mm f/3.5 Macro IS STM + UU-FG for Canon EFM 28 Macro [UU-410302] + UU-MP-SZ15-45 Standard Port [UU-206101]

Sony  
UU-A7RIII



Sony Vario-Tessar T\* FE 16-35mm f/4 ZA OSS + UU-ZG for Sony 16-35mm F4 [UU-430101] + Sea&Sea NX Compact Dome Port + Extension Ring 30L



Sony FE 90mm f/2.8 Macro G OSS + UU-FG for Sony 90mm F2.8 Macro [UU-430102] + Sea&Sea DX Macro Port 87

Port



UU-MP-Macro Port 30 [UU-203101]

Depth Rating: 60m  
Dimensions: (Dia)100 × (H)49mm  
Weight: Approx 120g  
Included accessories: Rear cap



UU-MP-Macro Port 60 [UU-203201]

Depth Rating: 60m  
Dimensions: (Dia)100 × (H)72.5mm  
Weight: Approx 150g  
Included accessories: Rear cap



UU-MP-SZ15-45 Standard Port [UU-206101]

Depth Rating: 60m  
Dimensions: (Dia)100 × (H)53mm  
Weight: Approx 130g  
Included accessories: Rear cap



UU-MP-F100 Dome Port [UU-200101]

Material: (Dome) Optical glass, (Body) Corrosion-resistant aluminum alloy  
Depth Rating: 60m  
Dimensions: (Dia)113 × (H)80mm  
Weight: Approx 412g  
Included accessories: Dome cover, rear cap



UU-MP-F170 Dome Port [UU-200201]


Depth Rating: 60m  
Dimensions: (Dia)176 × (H)132mm  
Weight: Approx 1,140g  
Included accessories: Dome cover, rear cap

Arm • Grip • Others

Arm • Grip • Others



Blue [ UU-300105 ]



Silver [ UU-300119 ]



Gun Metallic

Umi Umi Tray & Grip Set II



Umi Umi Arm 20cm  
 Black [ UU-302001 ]  
 Blue [ UU-302005 ]  
 Silver [ UU-302019 ]  
 Gun Metallic [ UU-302007 ]  
 Pink [ UU-302002 ]  
 Purple [ UU-302009 ]

Material : Corrosion-resistant aluminum alloy with anodizing  
 Dimensions : (Dia)27.5 × (L)228mm  
 Weight : Approx 70g



Umi Umi Clamp  
 Black [ UU-301001 ]  
 Blue [ UU-301005 ]  
 Silver [ UU-301019 ]  
 Gun Metallic [ UU-301007 ]  
 Pink [ UU-301002 ]  
 Purple [ UU-301009 ]

Material : Corrosion-resistant aluminum alloy with anodizing  
 Dimensions : (L)63 × (W)26 × (H)73.5mm  
 Weight : Approx 70g



[ UU-300107 ]

Pink



[ UU-300102 ]


Purple



[ UU-300109 ]

Material : Corrosion-resistant aluminum alloy with anodizing    Dimensions : (W) min: 265/ max: 316 × (D)82 × (H)151mm (without ball base)  
 Weight : Approx 740g

The left grip of the Umi Umi Tray & Grip set II is adjustable, which can be adjusted until it fits your own hand.



Umi Umi Fixed Ball Base S  
 [ UU-304001 ]

Material : Corrosion-resistant aluminum alloy with anodizing  
 Dimensions : (L)39 × (W)27.5 × (H)51mm  
 Weight : Approx 50g




Umi Umi Fixed Ball Base L  
 [ UU-304101 ]

Material: Corrosion-resistant aluminum alloy with anodizing  
 Dimensions : (L)39 × (W)27.5 × (H)70mm  
 Weight : Approx 54g



Umi Umi First Type Housing Lanyard L  
 White [ UU-31L100 ]  
 Black [ UU-31L101 ]  
 Yellow [ UU-31L112 ]

Dimensions : (L) Approx 600mm



Umi Umi First Type Housing Lanyard M  
 White [ UU-31M100 ]  
 Black [ UU-31M101 ]  
 Yellow [ UU-31M112 ]

Dimensions : (L) Approx 500mm



Umi Umi First Type Housing Lanyard S  
 White [ UU-31S100 ]  
 Black [ UU-31S101 ]  
 Yellow [ UU-31S112 ]

Dimensions : (L) Approx 400mm

Umi Umi Tray & Grip Set  
 [ UU-300101 ]

Material : Corrosion-resistant aluminum alloy with anodizing  
 Dimensions : (W) 284-328 × (D)62 × (H)131mm (without ball base)  
 Weight : Approx 570g



Original  
Accessories

## Original Accessories



Umi Umi Mask Strap – Manta Ray  
[ UU-900101 ]

Material : Neoprene  
Dimensions : (W)180 × (H)90mm



Umi Umi Mask Strap – Frog Fish  
[ UU-900102 ]

Material : Neoprene  
Dimensions : (W)180 × (H)90mm



Umi Umi Mask Strap – Box Fish  
[ UU-900104 ]

Material : Neoprene  
Dimensions : (W)180 × (H)90mm



Umi Umi Mask Strap – Sea Horse  
[ UU-900103 ]


Material : Neoprene  
Dimensions : (W)180 × (H)90mm



Umi Umi Housing Wrap - Small  
[ UU-900201 ]

Material : Neoprene  
Dimensions : (W)400 × (H)400 × (D)3mm


**Original Accessories**



Umi Umi Luggage Tag –  
Sea Horse  
[ UU-900301 ]  
Material : PVC  
Dimensions : Approx 65 × 105mm



Umi Umi Luggage Tag –  
Eat Sleep Dive  
[ UU-900302 ]  
Material : PVC  
Dimensions : Approx 65 × 105mm



Umi Umi Luggage Tag –  
Go Dive  
[ UU-900303 ]  
Material : PVC  
Dimensions : Approx 65 × 105mm



Umi Umi Luggage Tag –  
Fall in Love in Dive  
[ UU-900304 ]  
Material : PVC  
Dimensions : Approx 65 × 105mm



Umi Umi Equipment Tag –  
Red Tag  
[ UU-900401 ]  
Material : PVC  
Dimensions :  
Approx 90 × 20mm (4pcs)



Umi Umi Equipment Tag –  
Blue Tag  
[ UU-900402 ]  
Material : PVC  
Dimensions :  
Approx 90 × 20mm (4pcs)



Umi Umi Whale Shark Eco Bag  
[ UU-900501 ]  
Material : PET  
Dimensions : Approx (W)300 × (H)380 × (D)50 mm



MTK Bld 6F, 2-9-1 Higashi Ueno, Taito-ku, Tokyo, 110-0015 Japan



HOME PAGE

[www.umiumi.jp](http://www.umiumi.jp)



TEL

+81-3-6284-2383



EMAIL

[info@umiumi.jp](mailto:info@umiumi.jp)



[umiumi.jp](https://www.facebook.com/umiumi.jp)



[umiumi.jp](https://www.instagram.com/umiumi.jp)



[umiumijp](https://twitter.com/umiumijp)

