



Product Catalog
2019-2020



Umi Umi Inc.

We Care about Ocean
Umi Umi, the emphasis of "Ocean" in Japanese, is dedicated to marine protection. Exploring the fun of underwater photography has always been the mission of Umi Umi.

We Stick to Japan Quality
Umi Umi sticks to 100% original design and Japan manufacturing. With 15-year OEM experience, we attach great importance to high quality and user experience.

We Care about People
Umi Umi cares about user interface and experience, offering an easy operating system to fully stimulate the fun of underwater photography.

We keep learning to know you more!

Content

Compact UW Housing

UU-TG6	P.3
UU-RX100M5A	P.7

Mirrorless UW Housing

UU-A7RIIIg	P.9
UU-M50	P.11
UU-GX9	P.13
UU-EM1M2	P.15
UU-M5	P.16

System Chart	P.17
Arm•Grip•Others	P.19
Original Accessories	P.21

Compact
UW Housing

Underwater Housing for
Olympus TG-6 / TG-5

UU-TG6
Made in Japan



Olympus
Tough TG-6
UW Housing

Based on the UU-TG5II, the UU-TG6 is designed to be more easily-operated. Lightweight design for easy underwater shooting. Based on ergonomics, the thumb grip is easier to grasp. The triggered shutter design makes the shutter sensing more precise and easier to control every scene. Most functions can be easily achieved through the buttons on the housing.

Originally, the housing is equipped with a ring flash diffuser, making macro photography more interesting. You can also remove the diffuser and install the fisheye wide-angle lens UU-WIDE400PRO (available separately) for wide-angle shooting. Also, the housing is equipped with a fiber optic socket for easy access to external strobes.


Specifications
Compatible Camera Olympus Tough TG-6/ TG-5
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 690g
Dimensions (W)165 × (H)119 × (D)99mm



@ Romblon, Philippines

Compact
UW Housing

System Demonstration



- UU-TG6 (Café Au Lait) [UU-100523] × 1
- Umi Umi Tray & Grip Set II (Blue) [UU-300105] × 1
- Umi Umi Arm 20cm (Blue) [UU-302005] × 2
- Umi Umi Clamp (Blue) [UU-301005] × 4
- Strobe (Other Brand) × 2

Compact
UW Housing

Compact
UW Housing

UU-TG6 Selection of Color

Colors



Optional Accessories


UU-WIDE400PRO Fisheye Wide-angle Conversion Lens

Compatible with Umi Umi UU-TG6/UU-TG5II/UU-TG5/UU-TG4 underwater housing
[UU-500501]

Specifications	
Angle of View	Underwater 120° (25mm lens)
Magnification	0.50x (on land/underwater)
Min. Object Distance	0mm to the front dome lens (on land/ underwater)
Mount System	AD mount/ M52 thread (interchangeable)
Depth Rating	100m (328ft)
Material	ABS/ Hard Anodized Aluminum Alloy
Dimensions	(Dia) 121 × (H) 76mm
Weight	Approx 618g (on land) / Approx 224g (underwater)
Accessories Included	M52 thread Adapter, Lens holder, Dome cover, Lens case



CREATE A WIDER WORLD!




UU-PRO C
Macro Conversion Lens
[UU-500601]



Umi Umi Macro Fish Eye Set
When the UU-TG6 is paired with the Umi Umi Macro Fish Eye Set, you can take a wide-angle shooting in the macro world.
[UU-500401]



UU-LCDMAX01
Underwater LCD
Display Magnifier
[UU-500101]



Compact
UW Housing

Underwater Housing for
SONY RX100M5A
UU-RX100M5A
Made in Japan



- Pearl White [UU-130400]
- Dull Black [UU-130401]
- Kawaii [UU-130402]
- Elegant [UU-130403]

※ Presetted colors are pearl white, dull black, kawaii and elegant. Other colors can also be ordered, while corresponding subscription fee will be charged.


Sony
RX100M5A
UW Housing

The UU-RX100M5A is designed to be more easily-operated. Lightweight design for easy underwater shooting. Ergonomically designed for smoother operation, most functions can be easily achieved through the buttons on the housing.

Equipped with two fiber optic sockets, you can connect to external strobe via fiber optics cable.


Specifications
Compatible Camera Sony RX100M5A
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 826g
Dimensions (W)150 × (H)122 × (D)150mm

Compact
UW Housing



@ Tulamben, Indonesia

System Demonstration




- UU-RX100M5A (Elegant) [UU-130403] × 1
- Umi Umi Tray & Grip Set II (Blue) [UU-300105] × 1
- Umi Umi Arm 20cm (Blue) [UU-302005] × 2
- Umi Umi Clamp (Blue) [UU-301005] × 4
- Strobe (Other Brand) × 2

Mirrorless
UW Housing


Underwater Housing for
SONY α7R III/ α7 III

UU-A7RIII_G

Made in Japan



※ The above picture shows the installation of SEA&SEA DX Macro Port.87 (optional)



Pearl White [UU-130200]
Dull Black [UU-130201]
Misty Grey [UU-130207]

※ Presetted colors are pearl white, dull black, misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Sony α7R III/α7 III Dual Compatible UW Housing

The UU-A7RIII_G housing is designed for dual compatibility (replacement is required when using an α7 III camera). One-piece Housing design. One-piece Housing design. Ergonomically designed for smoother operation, most functions can be easily achieved through the buttons on the housing.

Equipped with two fiber optic sockets, the Umi Umi original flash trigger (available separately) can be used to trigger an external flash via fiber optics. In addition, a sync cable socket, a leak sensor, a vacuum pump, and a viewfinder (VF 45 manufactured by Sea&Sea) (available separately) can also be used.

Specifications
Compatible Camera Sony α 7R III/ α 7 III
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 1,940g
Dimensions (W)307 × (H)185 × (D)130mm



Photo taken by Ricky Shu Shu (Hong Kong) @ Maldives

Mirrorless
UW Housing

Feature



Sync Cable Connection Socket
The housing can be equipped with a 2-pin sync cable socket for easy operation of the external strobe.



Vacuum Device Connector
With the vacuum device interface, a vacuum pump can be used to vacuum the inside part of the housing. Also, a negative pressure gauge can be used to check the tightness inside the housing before entering the water.



360° Ring Arm System Version
It also comes with 360° Ring Arm System version, UU-A7RIII_GR, which ball base can be mounted for connection to flashlights or other lights. it simply takes a rotation whether you would like a landscape or portrait shooting.

[See page 18 for system chart](#)

Mirrorless
UW Housing

Underwater Housing for
Canon EOS M50/ Kiss M

UU-M50
Made in Japan



※ The above picture shows the installation of Umi Umi Standard Port 15-45 (optional)



Pearl White [UU-110200]
Dull Black [UU-110201]
Misty Grey [UU-110207]


※ Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Canon
EOS M50
UW Housing

Lightweight design makes it easily-operated in the water. Most functions can be easily achieved through the buttons on the housing. Equipped with two fiber optic sockets and triggered shutter design, the shutter sensing is more precise and easily-controlled for every picture.

Specifications
Compatible Camera Canon EOS M50/ Kiss M
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 1,060g
Dimensions (W)183 × (H)165 × (D)111mm

Mirrorless
UW Housing



@ Romblon, Philippines

System
Demonstration

UU-M50 (Misty Grey) [UU-110207] × 1
UU-MP-SZ15-45 Standard Port [UU-206101] × 1
Umi Umi Tray & Grip Set II (Purple) [UU-300109] × 1
Umi Umi First Type Housing Lanyard M (Yellow)
[UU-31M112] × 1



[See page 18 for system chart](#)

Mirrorless
UW Housing

Underwater Housing for
Panasonic LUMIX GX9/ GX7 Mark III

UU-GX9
Made in Japan



※ The above picture shows the installation of Umi Umi Macro Port 30 (optional)



Pearl White [UU-120100A]
Dull Black [UU-120101A]
Misty Grey [UU-120107A]

※ Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

**Panasonic
LUMIX GX9
UW Housing**

Lightweight design makes it easily-operated in the water. Equipped with triggered shutter design, the shutter sensing is more precise and easily-controlled for every picture.

Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

Specifications
Compatible Camera Panasonic LUMIX GX9/ GX7 Mark III
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 1,190g
Dimensions (W)188 × (H)152 × (D)109mm

Mirrorless
UW Housing




Photo taken by Ponnie Janjarasskul (Thailand) @ Tulamben, Indonesia

System Demonstration



- UU-GX9 (Pearl White) [UU-120100A] × 1
- UU-MP-Macro Port 30 [UU-203101] × 1
- Umi Umi Tray & Grip Set II (Blue) [UU-300105] × 1
- Umi Umi Arm 20cm (Blue) [UU-302005] × 2
- Umi Umi Clamp (Blue) [UU-301005] × 4
- Strobe (Other Brand) × 2

[See page 17 for system chart](#)

Mirrorless
UW Housing

Underwater Housing for
Olympus OM-D E-M1 Mark II

UU-EM1M2

Made in Japan



※ The above picture shows the installation of Umi Umi F100 Dome Port (optional)



Pearl White [UU-100200]
Dull Black [UU-100201]
Misty Grey [UU-100207]

※ Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Olympus
OM-D E-M1 Mark II
UW Housing

One-piece Housing design. Excellent operability and trigger shutter design make the shutter sensing more precise and easier to shoot every picture. Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

Specifications
Compatible Camera Olympus OM-D E-M1 Mark II
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 1,600g
Dimensions (W)302 × (H)195 × (D)110mm

See page 18 for system chart

Mirrorless
UW Housing

Underwater Housing for
Canon EOS M5

UU-M5

Made in Japan



※ The above picture shows the installation of Umi Umi Macro Port 60 (optional)



Pearl White [UU-110100]
Dull Black [UU-110101]
Misty Grey [UU-110107]

※ Presetted colors are pearl white, dull black, and misty grey. Other colors can also be ordered, while corresponding subscription fee will be charged.

Canon
EOS M5
UW Housing

One-piece Housing design. Excellent operability and trigger shutter design make the shutter sensing more precise and easier to shoot every picture. Most functions can be easily achieved through the buttons on the housing. There are also two fiber optic sockets.

Exclusively equipped with 360° ring arm system, external strobes and other lights can be attached to change the underwater light, easily changed as you wish.

Specifications
Compatible Camera Canon EOS M5
Material ABS resin
Depth Rating 60m (196ft)
Weight Approx 1,560g
Dimensions (W)287 × (H)176 × (D)111mm

See page 18 for system chart

System Chart

Panasonic
UU-GX9



Panasonic Lumix G Vario 7-14mm f/4 ASPH + UU-ZG for Lumix G Vario 7-14mm/ F4.0 ASPH [UU-420601] + UU-MP-F100 Domeport [UU-200101]



Olympus M.Zuiko Digital ED 8mm f/1.8 Fisheye PRO + UU-FG for Olympus ED 8mm Fisheye [UU-420502] + UU-MP-F100 Domeport [UU-200101]



Olympus M.Zuiko Digital ED 30mm f/3.5 Macro + UU-FG for Olympus 30 Macro [UU-420302] + UU-MP-Macro Port 30 [UU-203101]



Panasonic Leica DG Macro-Elmarit 45mm f/2.8 ASPH + UU-FG for Leica DG Macro-Elmarit 45mm/ F2.8 ASPH/ MEGA O.I.S. [UU-420602] + UU-MP-SZ15-45 Standard Port [UU-206101]



Olympus M.Zuiko Digital ED 60mm f/2.8 Macro + UU-FG for Olympus 60 Macro [UU-420202] + UU-MP-Macro Port 60 [UU-203201]

Olympus
UU-EM1M2



Olympus M.Zuiko Digital ED 7-14mm f/2.8 PRO + UU-ZG for Olympus ED 7-14 [UU-420501] + UU-MP-F170 Domeport [UU-200201]



Olympus M.Zuiko Digital ED 12-40mm f/2.8 PRO + UU-ZG for Olympus ED 12-40 [UU-420101] + UU-MP-F170 Domeport [UU-200201]



Olympus M.Zuiko Digital ED 8mm f/1.8 Fisheye PRO + UU-FG for Olympus ED 8mm Fisheye [UU-420502] + UU-MP-F100 Domeport [UU-200101]



Olympus M.Zuiko Digital ED 14-42mm f/3.5-5.6 EZ + UU-ZG for Olympus ED 14-42 [UU-420401] + UU-MP-Macro Port 30 [UU-203101]



Olympus M.Zuiko Digital ED 30mm f/3.5 Macro + UU-FG for Olympus 30 Macro [UU-420302] + UU-MP-Macro Port 30 [UU-203101]



Olympus M.Zuiko Digital ED 60mm f/2.8 Macro + UU-FG for Olympus 60 Macro [UU-420202] + UU-MP-Macro Port 60 [UU-203201]

Canon
UU-M50/UU-M5



Canon EF-M 11-22mm f/4-5.6 IS STM + UU-ZG for Canon EFM 11-22 [UU-410201] + UU-MP-F100 Domeport [UU-200101]



Canon EF-M 15-45mm f/3.5-6.3 IS STM + UU-ZG for Canon EFM 15-45 [UU-410101] + UU-MP-SZ15-45 Standard Port [UU-206101]



Canon EF-M 28mm f/3.5 Macro IS STM + UU-FG for Canon EFM 28 Macro [UU-410302] + UU-MP-SZ15-45 Standard Port [UU-206101]

Sony
UU-A7RIII



Sony Vario-Tessar T* FE 16-35mm f/4 ZA OSS + UU-ZG for Sony 16-35mm F4 [UU-430101] + Sea&Sea NX Compact Dome Port + Extension Ring 30L



Sony FE 90mm f/2.8 Macro G OSS + UU-FG for Sony 90mm F2.8 Macro [UU-430102] + Sea&Sea DX Macro Port 87

Port



UU-MP-Macro Port 30 [UU-203101]
Depth Rating : 60m
Dimensions : (Dia)100 × (H)49mm
Weight : Approx 120g
Included accessories : Rear cap



UU-MP-Macro Port 60 [UU-203201]
Depth Rating : 60m
Dimensions : (Dia)100 × (H)72.5mm
Weight : Approx 150g
Included accessories : Rear cap



UU-MP-SZ15-45 Standard Port [UU-206101]
Depth Rating : 60m
Dimensions : (Dia)100 × (H)53mm
Weight : Approx 130g
Included accessories : Rear cap



UU-MP-F100 Dome Port [UU-200101]
Material : (Dome) Optical glass, (Body) Corrosion-resistant aluminum alloy
Depth Rating : 60m
Dimensions : (Dia)113 × (H)80mm
Weight : Approx 412g
Included accessories : Dome cover, rear cap



UU-MP-F170 Dome Port [UU-200201]
Depth Rating : 60m
Dimensions : (Dia)176 × (H)132mm
Weight : Approx 1,140g
Included accessories : Dome cover, rear cap

Arm. Grip. Others



Blue [UU-300105]



Silver [UU-300119]



Gun Metallic [UU-300107]



Pink [UU-300102]



Purple [UU-300109]

Umi Umi Tray & Grip Set II

Material : Corrosion-resistant aluminum alloy with anodizing Dimensions : (W) min: 265/ max: 316 × (D)82 × (H)151mm (without ball base)
Weight : Approx 740g



Umi Umi Arm 20cm
Black [UU-302001]
Blue [UU-302005]
Silver [UU-302019]
Gun Metallic [UU-302007]
Pink [UU-302002]
Purple [UU-302009]

Material : Corrosion-resistant aluminum alloy with anodizing
Dimensions : (Dia)27.5 × (L)228mm
Weight : Approx 70g



Umi Umi Clamp
Black [UU-301001]
Blue [UU-301005]
Silver [UU-301019]
Gun Metallic [UU-301007]
Pink [UU-301002]
Purple [UU-301009]

Material : Corrosion-resistant aluminum alloy with anodizing
Dimensions : (L)63 × (W)26 × (H)73.5mm
Weight : Approx 70g



Umi Umi Carbon Arm L [UU-30L188]

Material : Carbon Fiber, Corrosion-resistant aluminum alloy with anodizing
Dimensions : (Dia)27 × (L)333mm
Weight : Approx 103g



Umi Umi Carbon Arm M [UU-30M188]

Material : Carbon Fiber, Corrosion-resistant aluminum alloy with anodizing
Dimensions : (Dia)27 × (L)233mm
Weight : Approx 90g



Umi Umi Carbon Arm S [UU-30S188]

Material : Carbon Fiber, Corrosion-resistant aluminum alloy with anodizing
Dimensions : (Dia)27 × (L)133mm
Weight : Approx 76g



Umi Umi Fixed Ball Base L [UU-304101]

Material : Corrosion-resistant aluminum alloy with anodizing
Dimensions : (L)39 × (W)27.5 × (H)70mm
Weight : Approx 54g



Umi Umi Fiber-Optic Cable M [UU-50M101]

Dimensions : (Dia)2.7 × (L)480mm
Weight : Approx 14g



Umi Umi First Type Housing Lanyard L
White [UU-31L100]
Black [UU-31L101]
Yellow [UU-31L112]

Dimensions : (L) Approx 600mm



Umi Umi First Type Housing Lanyard M
White [UU-31M100]
Black [UU-31M101]
Yellow [UU-31M112]

Dimensions : (L) Approx 500mm



Umi Umi First Type Housing Lanyard S
White [UU-31S100]
Black [UU-31S101]
Yellow [UU-31S112]

Dimensions : (L) Approx 400mm

Original
Accessories

Original Accessories

Original
Accessories

Umi Umi Towel –
Whale Shark
[UU-900601]

Dimensions :
(W)370 × (H)800mm



Umi Umi Towel –
Octopus
[UU-900602]

Dimensions :
(W)370 × (H)800mm



Umi Umi Mask Strap – Manta Ray
[UU-900101]

Material : Neoprene
Dimensions : (W)180 × (H)90mm



Umi Umi Mask Strap – Frog Fish
[UU-900102]

Material : Neoprene
Dimensions : (W)180 × (H)90mm



Umi Umi Mask Strap – Sea Horse
[UU-900103]

Material : Neoprene
Dimensions : (W)180 × (H)90mm




Umi Umi Mask Strap – Box Fish
[UU-900104]

Material : Neoprene
Dimensions : (W)180 × (H)90mm



Umi Umi Luggage Tag –
Sea Horse
[UU-900301]

Material : PVC
Dimensions :
Approx 65 × 105mm



Umi Umi Luggage Tag –
Eat Sleep Dive
[UU-900302]

Material : PVC
Dimensions :
Approx 65 × 105mm



Umi Umi Luggage Tag –
Go Dive
[UU-900303]

Material : PVC
Dimensions :
Approx 65 × 105mm



Umi Umi Luggage Tag –
Fall in Love in Dive
[UU-900304]

Material : PVC
Dimensions :
Approx 65 × 105mm



Umi Umi Equipment Tag –
Red Tag
[UU-900401]

Material : PVC
Dimensions :
Approx 90 × 20mm (4pcs)



Umi Umi Equipment Tag –
Blue Tag
[UU-900402]

Material : PVC
Dimensions :
Approx 90 × 20mm (4pcs)



Umi Umi Whale Shark Eco Bag
[UU-900501]

Material : PET
Dimensions :
Approx (W)300 × (H)380 × (D)50 mm



Umi Umi F170 Dome Port Cover
[UU-F170DP-COVER]

Material : Neoprene



Umi Umi F100 Dome Port Cover
[UU-F100DP-COVER]

Material : Neoprene



Umi Umi Housing Wrap - Small
[UU-900201]

Material : Neoprene
Dimensions : (W)400 × (H)400 × (D)3mm

